Surname

Centre Number

Other Names



GCSE – NEW

3420U10-1

PHYSICS – Unit 1: Electricity, Energy and Waves

FOUNDATION TIER

MONDAY, 19 JUNE 2017 - MORNING

1 hour 45 minutes

For Examiner's use only			
Question	Maximum Mark	Mark Awarded	
1.	8		
2.	9		
3.	15		
4.	7		
5.	13		
6.	8		
7.	8		
8.	12		
Total	80		

ADDITIONAL MATERIALS

In addition to this paper you may require a calculator, a ruler and a drawing compass.

INSTRUCTIONS TO CANDIDATES

Use black ink or black ball-point pen.

Write your name, centre number and candidate number in the spaces at the top of this page.

Answer **all** questions.

Write your answers in the spaces provided in this booklet.

INFORMATION FOR CANDIDATES

The number of marks is given in brackets at the end of each question or part-question. Question **6**(*a*) is a quality of extended response (QER) question where your writing skills will be assessed.

Equations

current = voltage resistance	$I = \frac{V}{R}$
total resistance in a series circuit	$R = R_1 + R_2$
energy transferred = power × time	E = Pt
power = voltage × current	P = VI
% efficiency = $\frac{\text{energy [or power] usefully transferred}}{\text{total energy [or power] supplied}} \times 100$	
density = $\frac{mass}{volume}$	$\rho = \frac{m}{V}$
units used (kWh) = power (kW) × time (h) cost = units used × cost per unit	
wave speed = wavelength \times frequency	$v = \lambda f$
speed = $\frac{\text{distance}}{\text{time}}$	
pressure = $\frac{\text{force}}{\text{area}}$	$p = \frac{F}{A}$
change in = mass × specific heat × change in thermal energy capacity temperature	$\Delta Q = mc\Delta\theta$
thermal energy for a = mass × specific latent change of state heat	Q = mL
V_1 = voltage across the primary coil V_2 = voltage across the secondary coil N_1 = number of turns on the primary coil N_2 = number of turns on the secondary coil	$\frac{V_1}{V_2} = \frac{N_1}{N_2}$

SI multipliers

Prefix	Multiplier
m	1 × 10 ⁻³
k	1 × 10 ³
М	1 × 10 ⁶

BLANK PAGE

3


3420U101 03

|Examiner only Answer all questions. 1. The diagram shows a transformer that is used in a laboratory experiment. В С D (a) **Draw one line** from each letter to the correct label. [3] Α primary coil В laminated iron core С secondary coil D a.c. input (supply) The diagram shows a step-up transformer. Complete the sentences by underlining the (b) correct word or phrase in the brackets. [3] A step-up transformer that is 100% efficient will: • make the output voltage (smaller / stay the same / bigger). • make the output current (smaller / stay the same / bigger). make the output power (smaller / stay the same / bigger).

(c) The diagram below shows part of the National Grid. Power stations are used to generate electricity. They are linked to houses and factories by a network of cables.

5

(i) Which letter **P**, **Q**, **R** or **S** shows a step-up transformer?




Turn over.

8

3420U101 05

Examiner

[1]



2. The diagram represents water waves on the surface of a swimming pool.

6

Examiner only

(e)	Wate	er waves are transverse waves.		Examiner only
	(i)	Give another example of a transverse wave.	[1]	
	(ii)	Sound waves are not transverse waves. What type of waves are they?	[1]	

7


3420U101 07

9

(3420U10-1)

3. A student is given an unknown electrical component in a sealed box. He carries out an experiment to identify it.

He sets up the circuit below to investigate how the current changes with voltage for the unknown component.



(a) **Complete the labelling** on the circuit diagram.

(b) The data shown in the table is collected from the experiment.

Voltage (V)	-0.4	-0.2	0.0	0.2	0.4	0.6	0.8	1.0
Current (mA)	0	0	0	0	0	5	20	50

(i) To prevent the unknown component being damaged the current through it **must not** be greater than 150 mA.

Circle the appropriate fuse that should be used in the circuit. [1]


10 mA 100 mA 200 mA 500 mA

(ii) (I) State the current in **amps (A)** when the voltage is 1.0 V. [1]

Current = A

Examiner only

[4]




Examiner only The following experiment is set up in a school laboratory for students. 4. Copper rod NORTH Х Horizontal metal bars Switch Power supply Explain why, when the switch in the circuit is closed, the copper rod starts to roll (a) (i) along the two horizontal metal bars. [2] (ii) When the switch is closed the copper rod moves away from the magnet. One of the students concludes that the direction of the current is from X to Y. Explain if you agree or disagree with their conclusion. [2] (iii) State **two** changes that could be made to the apparatus so that the copper rod moves faster when the switch is closed. [2] 1. 2. The effect observed in this experiment is used in many everyday devices. Give an example (b) of one such use. [1]

Examiner only

[2]

3420U101 11

The diagram gives some information about what happens when a solid is heated. 5.




Complete the diagram. (a)

Tick (\checkmark) the **two** correct statements about a solid. (b)

A solid has the lowest density of the three states of matter.	
The atoms in a solid are in fixed positions.	
The atoms in a solid transfer heat by convection.	
A solid is always a good conductor.	
A solid has atoms that vibrate more as they gain energy.	

Examiner only

(C) Aluminium cans are frequently recycled. The aluminium cans are collected by local councils as part of household waste. They are sent to a furnace where the cans are heated to melt them. The aluminium is then cooled so that it can be reused for the manufacture of other items. The graph shows how the temperature of the aluminium cans in the furnace changes with time.



© WJEC CBAC Ltd.

Time =s

Examiner only The heat transferred during the heating process, between points X and Y is 288000000 J. Use your answer from (c)(ii) and the equation: (i) power = heat transferred time to calculate the power in kW of the heater in the furnace. [3] Power = kW The temperature change of the aluminium cans during the heating process X to Y (ii) is 640 °C. Use information given above and the equation: heat transfer mass = $\frac{1}{(\text{specific heat capacity} \times \text{temperature change})}$ to calculate the mass of aluminium cans that were heated in the furnace. (Specific heat capacity of aluminium = 900 J/kg °C) [2] Mass = kg Use an equation from page 2 to calculate the heat transfer required to melt 1 500 kg of aluminium cans from solid to liquid at its melting point. [2] (Specific latent heat of fusion of aluminium, L = 400000 J/kg) Heat transfer = J 13

(d)

(e)

6. On a cold day a vacuum flask can be used to keep drinks hot for many hours. The diagram shows a vacuum flask with its main features labelled.

Examiner only

Silver coated inner glass wall Silver coated outer glass wall Empty space (vacuum) between the two glass walls (a) Explain in terms of conduction, convection and radiation how the labelled features of the flask help to keep the drink hot for such a long time. (b) CORR CORR CORR CORR CORR CORR CORR CORR	() - Plasti	c stopper
flask help to keep the drink hot for such a long time. [6 QER]	Silver coated outer glass wall Hot	Empty space (vacuum) between the two glass
	(a) Explain in terms of conduction, convection and radiation hor flask help to keep the drink hot for such a long time.	w the labelled features of the [6 QER]
© W.IEC CBAC Ltd (3420U10-1)	© WJEC CBAC Ltd. (3420U10-1)	

Examiner A drink at 90 °C is poured into the flask. After 2 hours the temperature of the drink is 80 °C. (b) After 10 hours the temperature of the drink is 60 °C. The company who make the vacuum flask claim that a hot drink contained in the flask will cool down by 5 °C every hour. Explain if the claim made by the company is always correct. [2]

8

only

15

(3420U10-1)


only The waves from an earthquake can be monitored by seismological stations located on the 7. surface of the Earth. Holyhead Bangor Caernarfon **NORTH WALES** Nefyn B С Aberysty yth **MID WALES** Llandrindod Wells The diagram shows circles drawn around three seismological stations A, B and C in Mid and North Wales. The radius of each circle shows the distance of the epicentre from each station. (a) Label on the diagram with a cross (X) the location of the epicentre. [1] (i) (ii) Explain why at least three seismological stations are needed to locate the epicentre. [2] Explain which station (A, B or C) detected the earthquake first. [2] (b)

Examiner

(c) The diameter of the circle around station A **is double** the diameter of the circle around station B.

The earthquake happened at 1 hour : 15 minutes : 10 seconds (1:15:10) in the morning.

The following signals were obtained at stations **A** and **B**.




17


Examiner only

8

8. A family from Wales researched photovoltaic (PV) cells before they bought some. They were told by the manufacturer that they could expect the PV cells to generate 3400 kWh of electricity per year. **Figure 1** shows the energy generated in kWh from PV cells in a typical year in Wales. This was included in an advert for the PV cells.




Examiner only (b) Sunshine data for Wales over the last 30 years was obtained from the Welsh MET weather office. **Figure 2** shows the mean number of sunshine hours for each month in Wales.



Examiner

Examiner only

(c) In September 2015 the family had PV cells installed on their south facing roof. They collected 12 months of actual data from their PV cells. Figure 3 compares the expected sunshine hours with actual sunshine hours. The expected sunshine hours data were obtained from local weather station records.



Apr 16 was the month that had the most **actual** sunshine hours.

June, July and August have different expected sunshine hours.

Jan 16 had the least number of actual sunshine hours.

Apr 16 had 4 times the **actual** number of sunshine hours compared to Jan 16.

There is only one month where the **actual** and the **expected** sunshine hours were the same.

Examiner only

12

(ii)	In April 16 the PV cells generated 600 kWh. The manufacturers claim the PV cells will produce 3 kW in sunshine. Use an equation from page 2 and Figure 3 to validate this claim. [2]
	PV cells were expected to produce 3400 kWh of electricity. However, the total number uced was 3670 kWh.
(i)	The family saves 29 p for each kWh of energy generated. Calculate how much extra money they saved. [2]
	Extra savings = p
(ii)	If the PV cells continue to generate more energy than expected what effect would this have on their payback time? [1]
······	
	END OF PAPER

(d)

BLANK PAGE

22

BLANK PAGE

23