<u>Discrete probability function As level Edexcel Statistics Maths</u> <u>Past Papers Questions</u>

01.

A biased spinner can only land on one of the numbers 1, 2, 3 or 4. The random variable X represents the number that the spinner lands on after a single spin and P(X = r) = P(X = r + 2) for r = 1, 2

Given that P(X = 2) = 0.35

(a) find the complete probability distribution of X.

(2)

Ambroh spins the spinner 60 times.

(b) Find the probability that more than half of the spins land on the number 4 Give your answer to 3 significant figures.

(3)

The random variable $Y = \frac{12}{X}$

(c) Find $P(Y-X \le 4)$

(3)

02. A fair 5-sided spinner has sides numbered 1, 2, 3, 4 and 5

The spinner is spun once and the score of the side it lands on is recorded.

(a) Write down the name of the distribution that can be used to model the score of the side it lands on.

(1)

The spinner is spun 28 times.

The random variable X represents the number of times the spinner lands on 2

- (b) (i) Find the probability that the spinner lands on 2 at least 7 times.
 - (ii) Find P($4 \le X < 8$)

(5)

03.

In a game, a player can score 0, 1, 2, 3 or 4 points each time the game is played.

The random variable S, representing the player's score, has the following probability distribution where a, b and c are constants.

S	0	1	2	3	4
P(S=s)	а	b	с	0.1	0.15

The probability of scoring less than 2 points is twice the probability of scoring at least 2 points.

Each game played is independent of previous games played.

John plays the game twice and adds the two scores together to get a total.

Calculate the probability that the total is 6 points.

(6)

04.

Two bags, A and B, each contain balls which are either red or yellow or green.

Bag A contains 4 red, 3 yellow and n green balls.

Bag B contains 5 red, 3 yellow and 1 green ball.

A ball is selected at random from bag A and placed into bag B.

A ball is then selected at random from bag B and placed into bag A.

The probability that bag A now contains an equal number of red, yellow and green balls is p.

Given that p > 0, find the possible values of n and p.

(5)

05.

Manon has two biased spinners, one red and one green.

The random variable R represents the score when the red spinner is spun.

The random variable G represents the score when the green spinner is spun.

The probability distributions for R and G are given below.

r	2	3
P(R=r)	$\frac{1}{4}$	<u>3</u>

g	1	4
P(G = g)	$\frac{2}{3}$	1/3

Manon spins each spinner once and adds the two scores.

- (a) Find the probability that
 - (i) the sum of the two scores is 7
 - (ii) the sum of the two scores is less than 4

(3)

The random variable X = mR + nG where m and n are integers.

$$P(X=20) = \frac{1}{6}$$
 and $P(X=50) = \frac{1}{4}$

(b) Find the value of m and the value of n

(5)

06	, •	
	Julia selects 3 letters at random, one at a time without replacement, from the word	
	VARIANCE	
	The discrete random variable X represents the number of times she selects a letter A .	
	(a) Find the complete probability distribution of X.	(5)
	Yuki selects 10 letters at random, one at a time with replacement, from the word	
	DEVIATION	
	(b) Find the probability that he selects the letter E at least 4 times.	(3)