

**Logarithm As level Edexcel Maths Past Papers Questions**

01.

(a) Prove that for all positive values of  $x$  and  $y$

$$\sqrt{xy} \leq \frac{x+y}{2} \quad (2)$$

(b) Prove by counter example that this is not true when  $x$  and  $y$  are both negative.

(1)

02.

A student was asked to give the exact solution to the equation

$$2^{2x+4} - 9(2^x) = 0$$

The student's attempt is shown below:

$$2^{2x+4} - 9(2^x) = 0$$

$$2^{2x} + 2^4 - 9(2^x) = 0$$

$$\text{Let } 2^x = y$$

$$y^2 - 9y + 8 = 0$$

$$(y-8)(y-1) = 0$$

$$y = 8 \text{ or } y = 1$$

$$\text{So } x = 3 \text{ or } x = 0$$

(a) Identify the two errors made by the student.

(2)

(b) Find the exact solution to the equation.

(2)

03.

A student's attempt to solve the equation  $2\log_2 x - \log_2 \sqrt{x} = 3$  is shown below.

$$2\log_2 x - \log_2 \sqrt{x} = 3$$

$$2\log_2 \left( \frac{x}{\sqrt{x}} \right) = 3$$
 using the subtraction law for logs

$$2\log_2 (\sqrt{x}) = 3$$
 simplifying

$$\log_2 x = 3$$
 using the power law for logs

$$x = 3^2 = 9$$
 using the definition of a log

(a) Identify two errors made by this student, giving a brief explanation of each. (2)

(b) Write out the correct solution. (3)

04.




Figure 3

The value of a rare painting, £ $V$ , is modelled by the equation  $V = pq^t$ , where  $p$  and  $q$  are constants and  $t$  is the number of years since the value of the painting was first recorded on 1st January 1980.

The line  $l$  shown in Figure 3 illustrates the linear relationship between  $t$  and  $\log_{10} V$  since 1st January 1980.

The equation of line  $l$  is  $\log_{10} V = 0.05t + 4.8$

- (a) Find, to 4 significant figures, the value of  $p$  and the value of  $q$ . (4)
- (b) With reference to the model interpret
- (i) the value of the constant  $p$ ,
  - (ii) the value of the constant  $q$ . (2)
- (c) Find the value of the painting, as predicted by the model, on 1st January 2010, giving your answer to the nearest hundred thousand pounds. (2)

05.

The value of a car, £ $V$ , can be modelled by the equation

$$V = 15700e^{-0.25t} + 2300 \quad t \in \mathbb{R}, t \geq 0$$

where the age of the car is  $t$  years.

Using the model,

(a) find the initial value of the car.

(1)

Given the model predicts that the value of the car is decreasing at a rate of £500 per year at the instant when  $t = T$ ,

(b) (i) show that

$$3925e^{-0.25T} = 500$$

(ii) Hence find the age of the car at this instant, giving your answer in years and months to the nearest month.

*(Solutions based entirely on graphical or numerical methods are not acceptable.)*

(6)

The model predicts that the value of the car approaches, but does not fall below, £ $A$ .

(c) State the value of  $A$ .

(1)

(d) State a limitation of this model.

(1)

06. The temperature,  $\theta^\circ\text{C}$ , of a cup of tea  $t$  minutes after it was placed on a table in a room, is modelled by the equation

$$\theta = 18 + 65e^{-\frac{t}{8}} \quad t \geq 0$$

Find, according to the model,

- (a) the temperature of the cup of tea when it was placed on the table, (1)
- (b) the value of  $t$ , to one decimal place, when the temperature of the cup of tea was  $35^\circ\text{C}$ . (3)
- (c) Explain why, according to this model, the temperature of the cup of tea could not fall to  $15^\circ\text{C}$ . (1)




Figure 2

The temperature,  $\mu^\circ\text{C}$ , of a second cup of tea  $t$  minutes after it was placed on a table in a different room, is modelled by the equation

$$\mu = A + Be^{-\frac{t}{8}} \quad t \geq 0$$

where  $A$  and  $B$  are constants.

Figure 2 shows a sketch of  $\mu$  against  $t$  with two data points that lie on the curve.

The line  $l$ , also shown on Figure 2, is the asymptote to the curve.

Using the equation of this model and the information given in Figure 2

- (d) find an equation for the asymptote  $l$ . (4)

07.

An advertising agency is monitoring the number of views of an online advert.

The equation

$$\log_{10} V = 0.072t + 2.379 \quad 1 \leq t \leq 30, t \in \mathbb{N}$$

is used to model the total number of views of the advert,  $V$ , in the first  $t$  days after the advert went live.

(a) Show that  $V = ab^t$  where  $a$  and  $b$  are constants to be found.

Give the value of  $a$  to the nearest whole number and give the value of  $b$  to 3 significant figures.

(4)

(b) Interpret, with reference to the model, the value of  $ab$ .

(1)

Using this model, calculate

(c) the total number of views of the advert in the first 20 days after the advert went live.  
Give your answer to 2 significant figures.

(2)

08.

**In this question you should show all stages of your working.**

**Solutions relying on calculator technology are not acceptable.**

(a) Using algebra, find all solutions of the equation

$$3x^3 - 17x^2 - 6x = 0 \quad (3)$$

(b) Hence find all real solutions of

$$3(y - 2)^6 - 17(y - 2)^4 - 6(y - 2)^2 = 0 \quad (3)$$



09.

The owners of a nature reserve decided to increase the area of the reserve covered by trees.

Tree planting started on 1st January 2005.

The area of the nature reserve covered by trees,  $A$  km<sup>2</sup>, is modelled by the equation

$$A = 80 - 45e^{ct}$$

where  $c$  is a constant and  $t$  is the number of years after 1st January 2005.

Using the model,

- (a) find the area of the nature reserve that was covered by trees just before tree planting started.

(1)

On 1st January 2019 an area of 60 km<sup>2</sup> of the nature reserve was covered by trees.

- (b) Use this information to find a complete equation for the model, giving your value of  $c$  to 3 significant figures.

(4)

On 1st January 2020, the owners of the nature reserve announced a long-term plan to have 100 km<sup>2</sup> of the nature reserve covered by trees.

- (c) State a reason why the model is not appropriate for this plan.

(1)

10.




Figure 2

The resting heart rate,  $h$ , of a mammal, measured in beats per minute, is modelled by the equation

$$h = pm^q$$

where  $p$  and  $q$  are constants and  $m$  is the mass of the mammal measured in kg.

Figure 2 illustrates the linear relationship between  $\log_{10} h$  and  $\log_{10} m$

The line meets the vertical  $\log_{10} h$  axis at 2.25 and has a gradient of  $-0.235$

(a) Find, to 3 significant figures, the value of  $p$  and the value of  $q$ . (3)

A particular mammal has a mass of 5 kg and a resting heart rate of 119 beats per minute.

(b) Comment on the suitability of the model for this mammal. (3)

(c) With reference to the model, interpret the value of the constant  $p$ . (1)

11.

The mass,  $A$  kg, of algae in a small pond, is modelled by the equation

$$A = pq^t$$

where  $p$  and  $q$  are constants and  $t$  is the number of weeks after the mass of algae was first recorded.

Data recorded indicates that there is a linear relationship between  $t$  and  $\log_{10} A$  given by the equation

$$\log_{10} A = 0.03t + 0.5$$

(a) Use this relationship to find a complete equation for the model in the form

$$A = pq^t$$

giving the value of  $p$  and the value of  $q$  each to 4 significant figures.

(4)

(b) With reference to the model, interpret

(i) the value of the constant  $p$ ,

(ii) the value of the constant  $q$ .

(2)

(c) Find, according to the model,

(i) the mass of algae in the pond when  $t = 8$ , giving your answer to the nearest 0.5 kg,

(ii) the number of weeks it takes for the mass of algae in the pond to reach 4 kg.

(3)

(d) State one reason why this may not be a realistic model in the long term.

(1)

12.

In this question you must show all stages of your working.

Solutions relying entirely on calculator technology are not acceptable.

The air pressure,  $P$  kg/cm<sup>2</sup>, inside a car tyre,  $t$  minutes from the instant when the tyre developed a puncture is given by the equation

$$P = k + 1.4e^{-0.5t} \quad t \in \mathbb{R} \quad t \geq 0$$

where  $k$  is a constant.

Given that the initial air pressure inside the tyre was 2.2 kg/cm<sup>2</sup>

(a) state the value of  $k$ .

(1)

From the instant when the tyre developed the puncture,

(b) find the time taken for the air pressure to fall to 1 kg/cm<sup>2</sup>  
Give your answer in minutes to one decimal place.

(3)

(c) Find the rate at which the air pressure in the tyre is decreasing exactly 2 minutes from the instant when the tyre developed the puncture.  
Give your answer in kg/cm<sup>2</sup> per minute to 3 significant figures.

(2)

13.

(a) Given that  $p = \log_3 x$ , where  $x > 0$ , find in simplest form in terms of  $p$ ,

(i)  $\log_3\left(\frac{x}{9}\right)$

(ii)  $\log_3(\sqrt{x})$

(2)

(b) Hence, or otherwise, solve

$$2\log_3\left(\frac{x}{9}\right) + 3\log_3(\sqrt{x}) = -11$$

giving your answer as a simplified fraction.

**Solutions relying on calculator technology are not acceptable.**

(4)

14.

Using the laws of logarithms, solve the equation

$$2\log_5(3x - 2) - \log_5 x = 2$$

(5)

15.

The height,  $h$  metres, of a plant,  $t$  years after it was first measured, is modelled by the equation

$$h = 2.3 - 1.7e^{-0.2t} \quad t \in \mathbb{R} \quad t \geq 0$$

Using the model,

(a) find the height of the plant when it was first measured, (2)

(b) show that, exactly 4 years after it was first measured, the plant was growing at approximately 15.3 cm per year. (3)

According to the model, there is a limit to the height to which this plant can grow.

(c) Deduce the value of this limit. (1)